



ITS LABORATORY

NABL Accredited Laboratory

(Dept. of Science & Technology, Govt. of India)

ISO:IEC:17025:2005, ISO 9001:2015 Certified Laboratory

NABL Certificate No. TC-6179, ISO 9001:2015 Certificate No. 160227309

TEST REPORT

Food Sample Analysis

Report Code: FD-061219-05

Issue Date: 14/12/2019

Issued To

: Foodies Health and Snacks,
C-59, Hosiery Complex, Phase -2, Noida

Sample Received On : 06/11/2019
Sample Drawn By : Mr. Laxmi Prasad (ITS)
Sample Description : Sample of Jeera Aloo
Sample Drawn On : 06/12/2019
Sample Quantity : 100 gm
Analysis Duration : 07/12/2019 To 14/12/2019
Sample Collection site : Foodies Kitchen

Test Result

S.No.	Parameter	Test Method	Unit	Result	Limit
1.	<i>E.Coli</i>	IS 5887 (P1)-1976	CFU/25gm	Absent	3 max
2.	Total Colony Count	IS 5402:2012	CFU/25gm	35	100000 Max
3.	Salmonella spp.	2013.01, Chapter 17, AOAC 19th Edition	CFU/25gm	Absent	Absent
4.	Total Coli form	IS 5401 (Part 1) : 2012	CFU/25gm	Absent	Absent
5.	Yeast & Mould	IS 5403 : 1999	CFU/25gm	Absent	50 Max
6.	Faecal streptococci	IS:5887(Part -2): 1976, RA:2005	MPN/100gm	Absent	Absent
7.	Vibrio Chlorae	IS:5887(Part -5): 1976, RA:2005	CFU/25gm	Absent	Absent

Remarks: On The basis of above tested parameter of sample is fit for fooding purpose.


Notes:

1. The results given above are related to the tested sample, as received & mentioned Parameters.
2. Responsibility of the Laboratory is limited to the invoiced amount only.
3. This test report will not be generated again, either wholly or in part, without prior written Permission of the laboratory.
4. The test samples will be disposed off after two weeks from the date of issue of test.

Checked by

Authorized Signatory





ITS LABORATORY

NABL Accredited Laboratory

(Dept. of Science & Technology, Govt. of India)

ISO:IEC:17025:2005, ISO 9001:2015 Certified Laboratory

NABL Certificate No. TC-6179, ISO 9001:2015 Certificate No. 160227309

TEST REPORT

Food Sample Analysis

Report Code: FD-061219-04

Issue Date: 14/12/2019

Issued To

: Foodies Health and Snacks,
C-59, Hosiery Complex, Phase -2, Noida

Sample Received On : 06/12/2019
Sample Drawn By : Mr. Laxmi Prasad (ITS)
Sample Description : Sample Sarso Saag
Sample Drawn On : 06/12/2019
Sample Quantity : 100 gm
Analysis Duration : 07/12/2019 To 14/12/2019
Sample Collection site : Foodies Kitchen

Test Result

S.No.	Parameter	Test Method	Unit	Result	Limit
1.	<i>E.Coli</i>	IS 5887 (P1)-1976	CFU/25gm	Absent	3 max
2.	Total Colony Count	IS 5402:2012	CFU/25gm	74	100000 Max
3.	Salmonella spp.	2013.01, Chapter 17, AOAC 19th Edition	CFU/25gm	Absent	Absent
4.	Total Coli form	IS 5401 (Part 1) : 2012	CFU/25gm	Absent	Absent
5.	Yeast & Mould	IS 5403 : 1999	CFU/25gm	Absent	50 Max
6.	Faecal streptococci	IS:5887(Part -2): 1976, RA:2005	MPN/100gm	Absent	Absent
7.	Vibrio Chlorae	IS:5887(Part -5): 1976, RA:2005	CFU/25gm	Absent	Absent

Remarks: On The basis of above tested parameter of sample is fit for fooding purpose.

Notes:

1. The results given above are related to the tested sample, as received & mentioned Parameters.
2. Responsibility of the Laboratory is limited to the invoiced amount only.
3. This test report will not be generated again, either wholly or in part, without prior written Permission of the laboratory
4. The test samples will be disposed off after two weeks from the date of issue of test.

Checked by

Authorized Signatory





ITS LABORATORY

NABL Accredited Laboratory

(Dept. of Science & Technology, Govt. of India)

ISO:IEC:17025:2005, ISO 9001:2015 Certified Laboratory

NABL Certificate No. TC-6179, ISO 9001:2015 Certificate No. 160227309

TEST REPORT

Food Sample Analysis

Report Code: FD-061219-03

Issue Date: 14/12/2019

Issued To

: Foodies Health and Snacks,
C-59, Hosiery Complex, Phase -2, Noida

Sample Received On : 06/12/2019
Sample Drawn By : Mr. Laxmi Prasad (ITS)
Sample Description : Sample of Chena Murki
Sample Drawn On : 06/12/2019
Sample Quantity : 100 gm
Analysis Duration : 07/12/2019 To 14/12/2019
Sample Collection site : Foodies Kitchen

Test Result

S.No.	Parameter	Test Method	Unit	Result	Limit
1.	<i>E.Coli</i>	IS 5887 (P1)-1976	CFU/25gm	Absent	3 max
2.	Total Colony Count	IS 5402:2012	CFU/25gm	380	100000 Max
3.	Salmonella spp.	2013.01, Chapter 17, AOAC 19th Edition	CFU/25gm	Absent	Absent
4.	Total Coli form	IS 5401 (Part 1) : 2012	CFU/25gm	Absent	Absent
5.	Yeast & Mould	IS 5403 : 1999	CFU/25gm	Absent	50 Max
6.	Faecal streptococci	IS:5887(Part -2): 1976, RA:2005	MPN/100gm	Absent	Absent
7.	Vibrio Chlorae	IS:5887(Part -5): 1976, RA:2005	CFU/25gm	Absent	Absent

Remarks: On The basis of above tested parameter of sample is fit for fooding purpose.

Notes:

1. The results given above are related to the tested sample, as received & mentioned Parameters.
2. Responsibility of the Laboratory is limited to the invoiced amount only.
3. This test report will not be generated again, either wholly or in part, without prior written Permission of the laboratory
4. The test samples will be disposed off after two weeks from the date of issue of test.

Checked by

Authorized Signatory



ITS LABORATORY

NABL Accredited Laboratory

(Dept. of Science & Technology, Govt. of India)

ISO:IEC:17025:2005, ISO 9001:2015 Certified Laboratory

NABL Certificate No. TC-6179, ISO 9001:2015 Certificate No. 160227309

TEST REPORT

Food Sample Analysis

Report Code: FD-061219-02

Issue Date: 14/12/2019

Issued To

: Foodies Health and Snacks,
C-59, Hosiery Complex, Phase -2, Noida

Sample Received On : 06/12/2019
Sample Drawn By : Mr. Laxmi Prasad (ITS)
Sample Description : Sample of Chana Masala
Sample Drawn On : 06/12/2019
Sample Quantity : 100 gm
Analysis Duration : 07/12/2019 To 14/12/2019
Sample Collection site : Foodies Kitchen

Test Result

S.No.	Parameter	Test Method	Unit	Result	Limit
1.	<i>E.Coli</i>	IS 5887 (P1)-1976	CFU/25gm	Absent	3 max
2.	Total Colony Count	IS 5402:2012	CFU/25gm	86	100000 Max
3.	Salmonella spp.	2013.01, Chapter 17, AOAC 19th Edition	CFU/25gm	Absent	Absent
4.	Total Coli form	IS 5401 (Part 1) : 2012	CFU/25gm	Absent	Absent
5.	Yeast & Mould	IS 5403 : 1999	CFU/25gm	Absent	50 Max
6.	Faecal streptococci	IS:5887(Part -2): 1976, RA:2005	MPN/100gm	Absent	Absent
7.	Vibrio Chlorae	IS:5887(Part -5): 1976, RA:2005	CFU/25gm	Absent	Absent

Remarks: On The basis of above tested parameter of sample is fit for fooding purpose.

Notes:

1. The results given above are related to the tested sample, as received & mentioned Parameters.
2. Responsibility of the Laboratory is limited to the invoiced amount only.
3. This test report will not be generated again, either wholly or in part, without prior written Permission of the laboratory
4. The test samples will be disposed off after two weeks from the date of issue of test.

Checked by

Authorized Signatory



ITS LABORATORY

NABL Accredited Laboratory

(Dept. of Science & Technology, Govt. of India)

ISO:IEC:17025:2005, ISO 9001:2015 Certified Laboratory

NABL Certificate No. TC-6179, ISO 9001:2015 Certificate No. 160227309

TEST REPORT

Food Sample Analysis

Report Code: FD-061219-01

Issue Date: 14/12/2019

Issued To

: Foodies Health and Snacks,
C-59, Hosiery Complex, Phase -2, Noida

Sample Received On : 06/12/2019
Sample Drawn By : Mr. Laxmi Prasad (ITS)
Sample Description : Sample of Rice
Sample Drawn On : 06/12/2019
Sample Quantity : 100 gm
Analysis Duration : 07/12/2019 To 14/12/2019
Sample Collection site : Foodies Kitchen

Test Result

S.No.	Parameter	Test Method	Unit	Result	Limit
1.	<i>E.Coli</i>	IS 5887 (P1)-1976	CFU/25gm	Absent	3 max
2.	Total Colony Count	IS 5402:2012	CFU/25gm	42	100000 Max
3.	Salmonella spp.	2013.01, Chapter 17, AOAC 19th Edition	CFU/25gm	Absent	Absent
4.	Total Coli form	IS 5401 (Part 1) : 2012	CFU/25gm	Absent	Absent
5.	Yeast & Mould	IS 5403 : 1999	CFU/25gm	Absent	50 Max
6.	Faecal streptococci	IS:5887(Part -2): 1976, RA:2005	MPN/100gm	Absent	Absent
7.	Vibrio Chlorae	IS:5887(Part -5): 1976, RA:2005	CFU/25gm	Absent	Absent

Remarks: On The basis of above tested parameter of sample is fit for fooding purpose.


Notes:

1. The results given above are related to the tested sample, as received & mentioned Parameters.
2. Responsibility of the Laboratory is limited to the invoiced amount only.
3. This test report will not be generated again, either wholly or in part, without prior written Permission of the laboratory
4. The test samples will be disposed off after two weeks from the date of issue of test.

Checked by

Authorized Signatory





ITS LABORATORY

NABL Accredited Laboratory

(Dept. of Science & Technology, Govt. of India)

ISO:IEC:17025:2005, ISO 9001:2015 Certified Laboratory

NABL Certificate No. TC-6179, ISO 9001:2015 Certificate No. 160227309

TEST REPORT

Water Sample Analysis

Report Code: W-061219-01

Issue Date: 14/12/2019

Issued To

: Foodies Health and Snacks,
C-59, Hosiery Complex,
Phase -2, Noida, U.P.

Sample Received On

: 06/12/2019

Sample Drawn By

: Mr. Laxmi (ITS)

Sample Drawn On

: 06/12/2019

Sample Description

: Drinking Water

Sample Quantity

: 1.0 Lt.

Weather Conditions

: Normal

Analysis Duration

: 07/12/2019 To 14/12/2019

Project Location

: Foodies Kitchen

RESULTS

Water test as per IS:10500-2012

S.No.	Parameter	Test Method	Results	Units	Acceptable Limit	Permissible Limit
1.	pH	IS:3025(Part-11)	6.91	-	6.5 – 8.5	-
2.	Colour	IS:3025(Part-4)	<5.0	Hazen	5	25
3.	Odour	IS:3025(Part-5)	Agreeable	-	-	-
4.	Taste	IS:3025(Part-8)	Agreeable	-	-	-
5.	Turbidity	IS:3025(Part-10)	<1.0	NTU	1	10
6.	Total Hardness (as CaCO ₃)	IS:3025(Part-21)	28.6	mg/l	200	600
7.	Chloride (as Cl)	IS:3025(Part-32)	26.4	mg/l	250	1000
8.	Residual Free Chlorine	IS:3025(Part-26)	<0.1	mg/l	0.2 Max	-
9.	Iron (as Fe)	IS:3025(Part-52)	<0.01	mg/l	0.3	-
10.	Fluoride (as F)	IS: 3025 (P- 60)	<0.1	mg/l	1	1.5
11.	Total Dissolved Solid	IS:3025(Part-16)	148	mg/l	500	2000
12.	Total Coli form	IS:1622	Absent	MPN/ 100ml	Absent	Absent
13.	E. Coli	IS: 1622	Absent	CFU/ 100ml	Absent	Absent

Remarks – Based on above tested parameter, Water sample meet as per IS-10500 in Acceptable limit and water is fit for drinking purpose.

Notes:

1. The results given above are related to the tested sample, as received & mentioned Parameters.
2. Responsibility of the Laboratory is limited to the invoiced amount only.
3. This test report will not be generated again, either wholly or in part, without prior written Permission of the laboratory.

Checked by

Authorized Signatory